

## LISTING OF CLAIMS

1. **(Currently Amended)** A system for scheduling time intervals for a plurality of invitees comprising:

database means in communication with one or more server means for storing one or more invitee profiles for one or more potential invitees of the system, the one or more invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and an electronic mail address for the user;

request generating means, connected over a network to the one or more server means, for generating a request for allocation of a time interval for the one or more potential invitees;

busy time determination means for gathering the one or more invitee profiles for the one or more potential invitees that were requested by the request generating means and that are available in the database means and determining whether those one or more potential invitees are available during the time interval requested by the request generating means; [and]

HI  
means for scheduling a meeting by using the electronic mail address in the invitee profile to send each of the one or more potential invitees available an electronic mail invitation to attend at the time interval requested thereby making each of the one or more potential invitees an invitee, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

means for enabling the invitee to respond to the electronic mail invitation using at least one of the plurality of response options; and

means for automatically updating the invitee's invitee profile based on the invitee's response to the electronic mail invitation.

2. **(Previously Amended)** The system of claim 1 wherein the invitee profiles comprise resource profiles regarding one or more resources wherein each resource profile comprises information regarding available and unavailable times for the resource.

3. **(Previously Amended)** The system of claim 2 wherein the one or more resources include a plurality of rooms and wherein the profile comprises information about the capacity of each room.

4. **(Previously Amended)** The system of claim 3 wherein the one or more resources include equipment.

5. **(Currently Amended)** A system for scheduling time intervals for a plurality of invitees comprising:

one or more databases, in communication with one or more servers, which store one or more invitee profiles for one or more potential invitees of the system, the one or more invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and the electronic mail address for the user;

one or more user workstations, connected over a network to the one or more servers, operating a calendaring system that permits a user to request allocation of a time interval for the one or more potential invitees;

wherein the calendaring system gathers the profiles for the one or more potential invitees that are available in the one or more databases and determines whether those one or more potential invitees are available during the time interval requested; [and]

wherein the calendaring system invites the one or more potential invitees by using the electronic mail address stored in the invitee profile for the one or more potential invitees to send an electronic mail invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

wherein the calendaring system enables the invitee to respond to the electronic mail invitation using at least one of the plurality of response options; and

wherein the calendaring system automatically updates the invitee's invitee profile based on the invitee's response to the electronic mail invitation.

6. **(Currently Amended)** A process for scheduling time intervals for a plurality of invitees comprising:

storing one or more invitee profiles for one or more potential invitees of the system in a database in communication with one or more servers, the one or more invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and an electronic mail address for the user;

receiving a request for allocation of a time interval for the one or more potential invitees from a remote workstation over a network at the one or more servers;

gathering the profiles for the one or more potential invitees that are available in the database;

determining whether those one or more potential invitees are available during the time interval requested;

411  
inviting the one or more potential invitees to attend at the time interval requested by using the electronic mail address stored in the profile for those one or more potential invitees to send an electronic mail invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

enabling the invitee to respond to the electronic mail invitation using at least one of the plurality of response options; and

automatically updating the invitee's invitee profile based on the invitee's response to the electronic mail invitation.

7. **(Currently Amended)** A processor usable medium having processor readable code embodied therein for enabling group calendaring between a plurality of users on a computer system, the system comprising a database, associated with one or more servers, which stores one or more invitee profiles for one or more potential invitees of the system, the invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and an electronic mail address for the user, the processor readable code in the processor usable medium comprising:

processor readable code for causing a processor to receive a request for allocation of a time interval for one or more potential invitees;

processor readable code for causing a processor to gather the profiles for the one or more potential invitees;

processor readable code for causing a processor to determine whether those one or more potential invitees are available during the requested time interval;

processor readable code for causing a processor to invite the one or more potential invitees to attend a meeting at the requested time interval by using the electronic mail address stored in the profile for each invitee to send an electronic mail invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

processor readable code for causing a processor to enable the invitee to respond to the electronic mail invitation using at least one of the plurality of response options; and

processor readable code for causing a processor to automatically update [updating] the invitee's profile based on the invitee's response to the electronic mail invitation.

8. **(Previously Amended)** The system of claim 5, wherein the invitee profiles comprise resource profiles regarding one or more resources, wherein each resource profile comprises information regarding available and unavailable times for the one or more resources.

9. **(Previously Amended)** The system of claim 8, wherein the one or more resources include rooms and wherein the profile comprises information about the capacity of the rooms.

10. **(Previously Amended)** The system of claim 9 wherein the one or more resources include equipment.

11. **(Previously Amended)** The process of claim 6, wherein the invitee profiles comprise resource profiles regarding one or more resources, wherein each resource profile comprises information regarding available and unavailable times for the one or more resources.

12. **(Previously Amended)** The process of claim 11, wherein the one or more resources include rooms and wherein the profile comprises information about the capacity of the rooms.

13. **(Previously Amended)** The process of claim 11, wherein the one more resources include equipment.

411  
14. **(Previously Amended)** The medium of claim 7, wherein the invitee profiles comprise resource profiles regarding one or more resources, wherein each resource profile comprises information regarding available and unavailable times for the one or more resources.

15. **(Previously Amended)** The medium of claim 14, wherein the one or more resources include rooms and wherein the profile comprises information about the capacity of the rooms.

16. **(Previously Amended)** The medium of claim 15, wherein the one or more resources include equipment.

17. **(Currently Amended)** A system for scheduling an event, comprising:  
a database that stores availability information for one or more potential invitees to the event;  
a server operable to access the database and retrieve the availability information; and  
a user system operable to send to the server a scheduling request specifying a list of invitees, a date, a start time, and an end time and/or a duration which determines the end time, wherein

the server is further operable to:

receive the scheduling request;

retrieve from the database availability information for one or more of the invitees listed in the request;

determine whether or not the one or more invitees are available to attend the event based on the availability information;

send an electronic mail invitation to one or more of the invitees listed in the request, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

receive from an invitee a response to the electronic mail invitation having at least one of the plurality of response options; and

automatically modify the availability information for the invitee if the invitee's response indicates that the invitee accepts the electronic mail invitation, wherein the availability information is modified to indicate that the invitee is busy between at least the start time and end time on the date specified in the request.

18. **(Previously Added)** The system of claim 17, wherein the server determines whether or not the one or more invitees are available to attend the event by examining the availability information and determining whether or not the one or more invitees are busy between the start time and end time on the date specified in the scheduling request.

19. **(Previously Added)** The system of claim 17, wherein the server is further operable to determine one or more alternative start times for the event, wherein the determination is based, at least in part, on the retrieved availability information.

20. **(Previously Amended)** The system of claim 19, wherein the determination of the one or more alternative start times is further based on weighting values assigned to one or more of the invitees.

21. **(Previously Added)** The system of claim 17, wherein the scheduling request further specifies an event location and the availability information for one of the invitees includes the location of the invitee.

22. **(Previously Added)** The system of claim 21, wherein the server is further operable to take into account a travel time from the location of the invitee to the event location in determining whether or not the invitee is available to attend the event.

23. **(Previously Added)** The system of claim 17, wherein availability information for an invitee comprises profile information and calendar information.

24. **(Previously Added)** The system of claim 23, wherein the profile information for an invitee comprises information regarding the invitee's work hours, the time zone in which the invitee works, and the location where the invitee works.

25. **(Previously Added)** The system of claim 23, wherein the calendar information comprises information regarding events that have been scheduled for the invitee.

26. **(Currently Amended)** A method for scheduling an event, comprising:  
storing availability information for one or more potential invitees to the event;  
receiving from an event coordinator a scheduling request specifying a list of invitees, a date, a start time, and an end time and/or a duration which determines the end time;  
retrieving availability information for one or more of the invitees listed in the request in response to receiving the request;  
presenting to the event coordinator information from which the event coordinator can determine whether or not the one or more invitees are available to attend the event;  
sending an electronic mail invitation to one or more of the invitees listed in the request, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;

receiving from an invitee a response to the electronic mail invitation having at least one of the plurality of response options; and

automatically modifying the availability information for the invitee in response to receiving the invitee's response if the invitee's response indicates that the invitee accepts the electronic mail invitation, wherein the availability information is modified to indicate that the invitee is busy between at least the start time and end time on the date specified in the request.

27. **(Previously Added)** The method of claim 26, wherein availability information for an invitee comprises profile information and calendar information.

28. **(Previously Added)** The method of claim 27, wherein the profile information for an invitee comprises information regarding the invitee's work hours, the time zone in which the invitee works, and the location where the invitee works.

29. **(Previously Added)** The method of claim 27, wherein the calendar information comprises information regarding events that have been scheduled for the invitee.

30. **(Currently Amended)** A computer readable medium, having encoded thereon a computer program operative to perform the method comprising

storing availability information for one or more potential invitees to the event;  
receiving from an event coordinator a scheduling request specifying a list of invitees, a date, a start time, and an end time and/or a duration which determines the end time;  
retrieving availability information for one or more of the invitees listed in the request in response to receiving the request;

presenting to the event coordinator information from which the event coordinator can determine whether or not the one or more invitees are available to attend the event;

sending an electronic mail invitation to one or more of the invitees listed in the request, wherein the electronic mail invitation includes a plurality of response options for the invitee to respond to the electronic mail invitation, wherein the plurality of response options includes accepting the electronic mail invitation and declining the electronic mail invitation;



receiving from an invitee a response to the electronic mail invitation having at least one of the plurality of response options; and

HH  
Cont'd  
automatically modifying the availability information for the invitee in response to receiving the invitee's response if the invitee's response indicates that the invitee accepts the electronic mail invitation, wherein the availability information is modified to indicate that the invitee is busy between at least the start time and end time on the date specified in the request

---

31. (New) The system of claim 1, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

32. (New) The system of claim 5, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

1  
H2  
33. (New) The process of claim 6, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

34. (New) The medium of claim 7, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

35. (New) The system of claim 17, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

36. (New) The method of claim 26, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

37. (New) The medium of claim 30, wherein the plurality of response options further includes assigning a substitute attendee for the meeting and requesting for re-scheduling the meeting.

---

H2  
Contd